

- **Style: Compact**
- **Size: Mid Tower supports up to ATX MB**
- **Material: Steel & Tempered Glass**

Main Features

- **Connection:** Front I/O ports with 2 x USB 3.0 & 1 x USB 3.2 (Gen 2) Type C
- **Ventilation:** Pre-installed 1 x 120mm Standard fan at rear
- **Supports:** AIO liquid cooling & 6.0" LCD Screen Kit



Specification

Model	TR300 TG	TR300 TG Snow
P/N	CA-11M-00M1NN-00	CA-11M-00M6NN-00
Color	Black	White
Case Type	Mid Tower	
Chassis Dimension (H*W*D)	419 x 205 x 467 mm (16.5 x 8.07 x 18.39 inch)	
Panel	3 mm Tempered Glass x 1	
Material	SPCC	
Cooling System	Rear(exhaust): 120 x 120 x 25 mm Standard Fan (1400rpm, 23.2 dBA) x 1	
Drive Bays	2 x 3.5"+3 x2.5"	
Expansion Slots	7	
Motherboards	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX)	
I/O Port	USB 3.2 (Gen 2) Type-C x 1, USB 3.0 x 2, HD Audio x 1	
PSU	Standard PS2 PSU (optional)	
Fan Support	Front: 1 x 120mm Top: 3 x 120mm, 2x 120mm ,1x 120mm 2 x 140mm, 1 x 140mm Rear : 1 x 120mm Bottom : 3 x 120mm, 2x 120mm ,1x 120mm 2 x 140mm, 1 x 140mm	
Radiator Support	Top (AIO) : 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 280mm, 1 x 140mm Rear (AIO) : 1 x 120mm	
Clearance	CPU cooler height limitation: 165mm VGA length limitation: 410mm (PSU length≤160mm) PSU length limitation: 260mm(VGA length<325mm) 160mm(VGA length>325mm)	

Packaging

Package Information	TR300 TG	TR300 TG Snow
P/N	CA-11M-00M1WN-00	CA-11M-00M6WN-00
EAN Code	4711658546319	4711658546326
UPC Code	840480306311	840480306328
N.W	6.5 kg / 16.8 lbs.	
G.W	7.6 kg / 14.3 lbs.	
Carton Size (L x W x H)	476 x 287 x 540 mm / 18.74 x 11.3 x 21.26 inch	
Cuft	2.6	
Container	w/o pallet	
20'	384 pcs	
40'	768 pcs	
40' HQ	956 pcs	



Appearance – Black version



Angle view




Left Side view



Front view




Right Side view




Internal Structure



Rear view



Top view



Bottom view

Appearance – Snow version



Angle view



Left Side view



Front view



Right Side view



Internal Structure



Rear view





Top view



Bottom view

Exploded View



Pre-installed ARGB Fans



Pre-installed one hydraulic bearing 120mm Standard rear fan which can effectively lower the operation noise and enhance the thermal efficiency.



Black



White

SPEC for Standard fan

-Fan Speed: 1400 +/- 10% RPM

-Fan Airflow: 45.76 CFM


-Fan Air Pressure: 1.21 mm-H₂O

-Fan Noise Level: 23.2 dBA

-Fan Bearing: Hydraulic bearing

Compatibility List

Fan Compatibility List		
	120mm	140mm
Front	*1	-
Top	*3	2
Rear	1	-
Bottom	3	2



Notice

- Front fan installed need to remove HDD cage.
- Top fan installed only can install two 120mm and 140mm fans, when PSU installed in the position A.

All-in-One Compatibility

All-in-One Compatibility List

	120mm	240mm	360mm	140mm	280mm	420mm
Top	●	●	●	●	●	-
Rear	●	-	-	-	-	-

