

Datasheet

- **Style: Simple**
- **Size: Mid Tower supports up to ATX MB**
- **Material: Steel & Tempered Glass**

Main Features

- **Connection: Front I/O ports with 2 x USB 3.0 & 1 x USB 3.2 (Gen 2) Type C**
- **Ventilation: Pre-installed**
 - 1 x SF360 ARGB PWM Reverse Fan
 - 1 x SF120 ARGB PWM Fan
- **Supports: AIO cooling solutions**



Specification

Model	View 370 TG ARGB	View 370 TG ARGB Snow
P/N	CA-11N-00M1WN-00	CA-11N-00M6WN-00
Color	Black	White
Case Type	Mid Tower	
Chassis Dimension (H*W*D)	492.5 x 235 x 478.8 mm (19.39 x 9.25 x 18.85 inch)	
Panel Material	4mm Tempered Glass x 4 SPCC	
Cooling System	M/B Side(intake): 360 x 120 x 25 mm SF360 ARGB PWM Reverse Fan (500~1800rpm, 36.4 dBA) x 1 Rear(exhaust): 120 x 120 x 25 mm SF120 ARGB PWM Fan (500~1800rpm, 29.3 dBA) x 1	M/B Side(intake): 360 x 120 x 25 mm SF360 ARGB PWM Reverse white Fan (500~1800rpm, 36.4 dBA) x 1 Rear(exhaust): 120 x 120 x 25 mm SF120 ARGB PWM white Fan (500~1800rpm, 29.3 dBA) x 1
Drive Bays	1 x 3.5"+1 x 2.5" or 2 x 2.5"	
Expansion Slots	7(Rotatable Patented Design)	
Motherboards	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX)	
Hidden-Connector Motherboard	9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX)	
I/O Port	USB 3.2 (Gen 2) Type-C x 1, USB 3.0 x 2, HD Audio x 1	
PSU	Standard PS2 PSU (optional)	
Fan Support	Top: 3 x 120mm, 2 x 120mm, 1 x 120mm, 2 x 140mm, 1 x 140mm MB Side: 3 x 120mm, 2 x 120mm, 1 x 120mm Rear: 1 x 120mm Power Cover: 3 x 120mm, 2 120mm, 1 x 120mm	
Radiator Support	Top: 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 280mm, 1 x 140mm MB Side: 1x 360mm, 1 x 240mm, 1 x 120mm Rear: 1 x 120mm	
Clearance	CPU cooler height limitation: 165mm VGA length limitation: 420mm PSU length limitation: 279mm, PSU suggested length: 200mm	


Packaging

Package Information	View 370 TG ARGB	View 370 TG ARGB Snow
P/N	CA-11N-00M1WN-00	CA-11N-00M6WN-00
EAN Code	4711658546333	4711658546340
UPC Code	840480306335	840480306342
N.W	10.3 kg / 22.7 lbs.	
G.W	8.7 kg / 19.2 lbs.	
Carton Size (L x W x H)	560.5 x 317 x 557 mm / 22.1x 12.48 x 21.93 inch	
Cu ft	3.50	
Container	w/o pallet, w/ spare parts	
20'	294 pcs	
40'	610 pcs	
40' HQ	692 pcs	


Appearance – Black version




Angle view



Left Side view




Front view




Right Side view




Internal Structure



Rear view



Internal Structure



Top view




Bottom view


Appearance – Snow version




Angle view



Left Side view




Front view



Right Side view




Internal Structure




Rear view



Internal Structure



Top view





Bottom view




Thermaltake View 370 TG ARGB Mid Tower Chassis


Exploded View



Pre-installed Fan



Black Version



Snow Version

Pre-installed hydraulic bearing **SF360 ARGB PWM Reverse Fan** & **SF120 ARGB PWM Fan** which can effectively lower the operation noise and enhance the thermal efficiency.

SPEC for Case **SF360 ARGB PWM Reverse Fan**


- Fan Speed: 500-1800±10%RPM
- Max. Fan Airflow: 173.96 CFM
- Max. Fan Air Pressure: 1.8 MM-H2O
- Fan Noise Level: 36.4 dB-A
- Fan Bearing: Hydraulic bearing

SPEC for Case **SF120 ARGB PWM Fan**

- Fan Speed: 500-1800±10%RPM
- Max. Fan Airflow: 58.7 CFM
- Max. Fan Air Pressure: 2.02 MM-H2O
- Fan Noise Level: 29.3 dB-A
- Fan Bearing: Hydraulic bearing

Fan Compatibility

Fan Compatibility List			
	120mm	140mm	200mm
Top	3	2	-
MB Side	3	-	-
Rear	1	-	-
Power Cover	3	-	-



All-in-One Compatibility

All-in-One Compatibility List						
	120mm	240mm	360mm	140mm	280mm	420mm
Top	●	●	●	●	●	-
MB Side	●	●	●	-	-	-
Rear	●	-	-	-	-	-

