

UX400 CPU Cooler







UX400 CPU Cooler

Features :

- 4 x Ø6 mm high performance U-shape copper heatpipes
- Supports up to 200W
- Features a special design that prevents the cooler from interfering with the RAM area
- Universal Intel/ AMD socket compatibility
- Long life hydraulic bearing for reliable and silent operation

Dimension :



UX400 CPU Cooler


Spec :
Unit :mm

P/N	CL-P149-AL12BL-A
Compatibility (CPU Socket)	Intel LGA 1851/1700/1200/1156/1155/1151/1150 AMD AM5/AM4/FM2/FM1/AM3+/AM3/AM2+/AM2
Heatsink Dimension	125 x 92 x 152 mm (L x W x H)
Heatsink Material	Aluminum Fins Copper Heatpipes
Heatpipe	Φ6mm x 4 pcs
Fan Dimension	120 x 120 x 25 mm (L x W x H)
Fan Quantity	1pcs
Fan Speed	PWM 700~1800 RPM
Rated Voltage	12V
Start Voltage	6.0 V
Power Input	3.0W
Air Flow.	62.72 CFM
Air Pressure.	1.47 mm-H2O
Acoustical Noise.	25.0 dBA
Life Time	30,000 hours
Pin Connect	2510 - 4Pin
Cooling Power	200 W

Angle View : UX400




Front View



Side View




Top View



Part List

Features : UX400




Heat-pipes Direct Touch Technology

4 Heat pipe to TDP 200W



120 mm fan

High Airflow
ARGB Sync Fan



Application

Non-interference cooling
never interfere the
RAM area

UX400 CPU Cooler

