


16230-016 NOVASTAR CABINET WITHOUT DOOR AND REAR PANEL, HEAVY-DUTY, RAL 7021/7035, 1967H 553W 800D



KEY FEATURES

Static load-carrying capacity up to 400 kg (see specification table)

Type of protection IP 20

Cabinet width only 553 mm

Flush cladding parts

All uprights (front and rear) with 19" cut-outs

Colors: RAL 7021 or color combination RAL 7021/ RAL 7035

Bolted, die-cast frame with Al extrusions

Without door and rear panel

PRODUCT ATTRIBUTES

Product Family: NovastarFrame Material: AluminumFrame Color: Black GreyFrame Color Code: RAL 7021Cladding Material: SteelCladding Color: Light GreyCladding Color Code: RAL 7035Rack Height: 43 UHeight: 1967 mmVidth: 553 mmDepth: 800 mmStatic Load: 400 kgComplies With: IEC 60297-3-100	Product Type: Cabinet
Frame Color: Black GreyFrame Color Code: RAL 7021Cladding Material: SteelCladding Color: Light GreyCladding Color Code: RAL 7035Rack Height: 43 UHeight: 1967 mmWidth: 553 mmDepth: 800 mmStatic Load: 400 kg	Product Family: Novastar
Frame Color Code: RAL 7021Cladding Material: SteelCladding Color: Light GreyCladding Color Code: RAL 7035Rack Height: 43 UHeight: 1967 mmWidth: 553 mmDepth: 800 mmStatic Load: 400 kg	Frame Material: Aluminum
Cladding Material: Steel Cladding Color: Light Grey Cladding Color Code: RAL 7035 Rack Height: 43 U Height: 1967 mm Width: 553 mm Depth: 800 mm Static Load: 400 kg	Frame Color: Black Grey
Cladding Color: Light Grey Cladding Color Code: RAL 7035 Rack Height: 43 U Height: 1967 mm Width: 553 mm Depth: 800 mm Static Load: 400 kg	Frame Color Code: RAL 7021
Cladding Color Code: RAL 7035 Rack Height: 43 U Height: 1967 mm Width: 553 mm Depth: 800 mm Static Load: 400 kg	Cladding Material: Steel
Rack Height: 43 U Height: 1967 mm Width: 553 mm Depth: 800 mm Static Load: 400 kg	Cladding Color: Light Grey
Height: 1967 mm Width: 553 mm Depth: 800 mm Static Load: 400 kg	Cladding Color Code: RAL 7035
Width: 553 mm Depth: 800 mm Static Load: 400 kg	Rack Height: 43 U
Depth: 800 mm Static Load: 400 kg	Height: 1967 mm
Static Load: 400 kg	Width: 553 mm
	Depth: 800 mm
Complies With: IEC 60297-3-100	Static Load: 400 kg
	Complies With: IEC 60297-3-100

ADDITIONAL PRODUCT DETAILS

Aluminum frame cabinets with attractive design, ideally suited for general electronics, test and measurement, audio/video and broadcasting applications.

CERTIFICATIONS



North America

All locations +1.763.422.2661 Chat with us: schroff.nvent.com

Europe

Straubenhardt, Germany +49.7082.794.0 Betschdorf, France +33.3.88.90.64.90 Warsaw, Poland +48.22.209.98.35 Assago, Italy +39.02.932.7141 Chat with us: schroff.nvent.com

Asia

Shanghai, China +86.21.2412.6943 Qingdao, China +86.532.8771.6101 Singapore +65.6768.5800 Shin-Yokohama, Japan +81.45.476.0271 Chat with us: schroff.nvent.com

nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

Middle East & India

Dubai, United Arab Emirates +971.4.378.1700 Bangalore, India +91.80.6715.2001 Istanbul, Turkey +90.216.250.7374 Chat with us: schroff.nvent.com



© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

Our powerful portfolio of brands:

nVent reserves the right to change specifications without notice.