

19-inch Wall Cabinet Flatpack



Data sheet



The VALUE wall-mounted enclosures are designed for flexible network cabling and feature pre-punched cable entry points in the base and top, as well as provision for a fan. The robust steel construction is powder-coated and fitted with removable side panels featuring quick-release fasteners. Optional locks can be fitted for added security. The enclosure is supplied as a kit and can be assembled quickly and easily.

Characteristics:

- Load capacity: 80 kg
- Front door made of tempered glass, lockable
- Side panels are fitted with a quick-release mechanism and are removable
- Roof with cut-out for fan modules
- Cable feed possible on roof and base
- Ventilation slots for passive ventilation and air extraction
- Includes mounting hardware
- Color: Jet black, RAL 9005
- IP protection class: IP20
- Delivery: Flatpack, disassembled

19-inch Wall Cabinet Flatpack



Data sheet

The VALUE 19-inch wall-mounted enclosure series offers a versatile range of wall-mounted enclosures in various heights from 6U to 18U, as well as depths of 450 mm and 600 mm, all in black (RAL 9005).

Manuf. no.	Height	Width (mm)	Depth (mm)	Colour / RAL
26.99.0823	6 U	600	450	black / RAL 9005
26.99.0828	6 U	600	600	black / RAL 9005
26.99.0824	9 U	600	450	black / RAL 9005
26.99.0829	9 U	600	600	black / RAL 9005
26.99.0825	12 U	600	450	black / RAL 9005
26.99.0830	12 U	600	600	black / RAL 9005
26.99.0826	15 U	600	450	black / RAL 9005
26.99.0831	15 U	600	600	black / RAL 9005
26.99.0827	18 U	600	450	black / RAL 9005
26.99.0832	18 U	600	600	black / RAL 9005

19-inch Wall Cabinet Flatpack



Data sheet



Tempered glass front door



Rear panel with cut-outs



Removable side panels (quick-release mechanism)



Integrated locking cylinder



Base plate with cut-out



Roof with cut-outs for ventilation